

Database Structure Report

Site: timenlife.shop (WordPress + WooCommerce) — UpdraftPlus backup

Total tables: 159

wp_options (4 columns, Has data)

Column	Type	Null	Default	Extra
option_id	bigint(20) unsigned	NO		
option_name	varchar(191)	NO	"	
option_value	longtext	NO		
autoload	varchar(20)	NO	'yes'	

Keys: PRIMARY KEY (`option\_name`)
UNIQUE KEY `option\_id` (`option\_id`)
UNIQUE KEY `option\_name` (`option\_name`)
KEY `autoload` (`autoload`)

wp_users (10 columns, Has data)

Column	Type	Null	Default	Extra
ID	bigint(20) unsigned	NO		
user_login	varchar(60)	NO	"	
user_pass	varchar(255)	NO	"	
user_nicename	varchar(50)	NO	"	
user_email	varchar(100)	NO	"	
user_url	varchar(100)	NO	"	
user_registered	datetime	NO	'0000-00-00 00:00:00'	
user_activation_key	varchar(255)	NO	"	
user_status	int(11)	NO	0	
display_name	varchar(250)	NO	"	

Keys: PRIMARY KEY (`ID`)
KEY `user\_login\_key` (`user\_login`)
KEY `user\_nicename` (`user\_nicename`)
KEY `user\_email` (`user\_email`)
KEY `display\_name` (`display\_name`)

wp_usermeta (4 columns, Has data)

Column	Type	Null	Default	Extra
umeta_id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	NO	0	
meta_key	varchar(255)	NO		
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`user\_id`, `meta\_key`, `umeta\_id`)
UNIQUE KEY `umeta\_id` (`umeta\_id`)
KEY `meta\_key` (`meta\_key`, `meta\_value`(32), `user\_id`, `umeta\_id`)
KEY `meta\_value` (`meta\_value`(32), `umeta\_id`)
KEY `user\_id` (`user\_id`)

wp_actionscheduler_actions (14 columns, Has data)

Column	Type	Null	Default	Extra
action_id	bigint(20) unsigned	NO		
hook	varchar(191)	NO		
status	varchar(20)	NO		
scheduled_date_gmt	datetime	YES	'0000-00-00 00:00:00'	
scheduled_date_local	datetime	YES	'0000-00-00 00:00:00'	
priority	tinyint(3) unsigned	NO	10	
args	varchar(191)	YES	NULL	
schedule	longtext	YES	NULL	
group_id	bigint(20) unsigned	NO	0	
attempts	int(11)	NO	0	
last_attempt_gmt	datetime	YES	'0000-00-00 00:00:00'	
last_attempt_local	datetime	YES	'0000-00-00 00:00:00'	
claim_id	bigint(20) unsigned	NO	0	
extended_args	varchar(8000)	YES	NULL	

Keys: PRIMARY KEY (`action\_id`)

KEY `hook\_status\_scheduled\_date\_gmt` (`hook`(163),`status`,`scheduled\_date\_gmt`)

KEY `status\_scheduled\_date\_gmt` (`status`,`scheduled\_date\_gmt`)

KEY `scheduled\_date\_gmt` (`scheduled\_date\_gmt`)

KEY `args` (`args`)

KEY `group\_id` (`group\_id`)

KEY `last\_attempt\_gmt` (`last\_attempt\_gmt`)

KEY `claim\_id\_status\_scheduled\_date\_gmt` (`claim\_id`,`status`,`scheduled\_date\_gmt`)

KEY `claim\_id\_status\_priority\_scheduled\_date\_gmt` (`claim\_id`,`status`,`priority`,`scheduled\_date\_gmt`)

KEY `status\_last\_attempt\_gmt` (`status`,`last\_attempt\_gmt`)

KEY `status\_claim\_id` (`status`,`claim\_id`)

wp_actionscheduler_claims (2 columns, Has data)

Column	Type	Null	Default	Extra
claim_id	bigint(20) unsigned	NO		
date_created_gmt	datetime	YES	'0000-00-00 00:00:00'	

Keys: PRIMARY KEY (`claim\_id`)

KEY `date\_created\_gmt` (`date\_created\_gmt`)

wp_actionscheduler_groups (2 columns, Has data)

Column	Type	Null	Default	Extra
group_id	bigint(20) unsigned	NO		
slug	varchar(255)	NO		

Keys: PRIMARY KEY (`group\_id`)

KEY `slug` (`slug`(191))

wp_actionscheduler_logs (5 columns, Has data)

Column	Type	Null	Default	Extra
log_id	bigint(20) unsigned	NO		
action_id	bigint(20) unsigned	NO		

Column	Type	Null	Default	Extra
message	text	NO		
log_date_gmt	datetime	YES	'0000-00-00 00:00:00	
log_date_local	datetime	YES	'0000-00-00 00:00:00	

Keys: PRIMARY KEY (`log\_id`)
 KEY `action\_id` (`action\_id`)
 KEY `log\_date\_gmt` (`log\_date\_gmt`)

wp_bwpup_backups (11 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
destination	varchar(255)	NO	"	
filename	varchar(255)	YES	NULL	
job_id	bigint(20) unsigned	YES	NULL	
status	varchar(255)	NO	"	
error_code	varchar(32)	YES	NULL	
error_message	longtext	YES	NULL	
logfile	varchar(255)	YES	NULL	
backup_trigger	varchar(32)	NO	"	
modified	timestamp	NO	'0000-00-00 00:00:00	
submitted_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `modified` (`modified`)
 KEY `destination` (`destination`(191))
 KEY `error\_code\_index` (`error\_code`)

wp_commentmeta (4 columns, Has data)

Column	Type	Null	Default	Extra
meta_id	bigint(20) unsigned	NO		
comment_id	bigint(20) unsigned	NO	0	
meta_key	varchar(255)	NO		
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`meta\_key`,`comment\_id`,`meta\_id`)
 UNIQUE KEY `meta\_id` (`meta\_id`)
 KEY `comment\_id` (`comment\_id`,`meta\_key`,`meta\_value`(32))
 KEY `meta\_value` (`meta\_value`(32))
 KEY `meta\_key` (`meta\_key`(191))

wp_comments (15 columns, Has data)

Column	Type	Null	Default	Extra
comment_ID	bigint(20) unsigned	NO		
comment_post_ID	bigint(20) unsigned	NO	0	
comment_author	tinytext	NO		
comment_author_email	varchar(100)	NO	"	

Column	Type	Null	Default	Extra
comment_author_url	varchar(200)	NO	"	
comment_author_IP	varchar(100)	NO	"	
comment_date	datetime	NO	'0000-00-00 00:00:00'	
comment_date_gmt	datetime	NO	'0000-00-00 00:00:00'	
comment_content	text	NO		
comment_karma	int(11)	NO	0	
comment_approved	varchar(20)	NO	'1'	
comment_agent	varchar(255)	NO	"	
comment_type	varchar(20)	NO	'comment'	
comment_parent	bigint(20) unsigned	NO	0	
user_id	bigint(20) unsigned	NO	0	

Keys: PRIMARY KEY (`comment\_post\_ID`,`comment\_ID`)
 UNIQUE KEY `comment\_ID` (`comment\_ID`)
 KEY `woo\_idx\_comment\_type` (`comment\_type`)
 KEY `woo\_idx\_comment\_date\_type` (`comment\_date\_gmt`,`comment\_type`,`comment\_approved`,`comment\_post\_ID`)
 KEY `woo\_idx\_comment\_approved\_type` (`comment\_approved`,`comment\_type`,`comment\_post\_ID`)
 KEY `comment\_approved\_date\_gmt` (`comment\_approved`,`comment\_date\_gmt`,`comment\_ID`)
 KEY `comment\_date\_gmt` (`comment\_date\_gmt`,`comment\_ID`)
 KEY `comment\_parent` (`comment\_parent`,`comment\_ID`)
 KEY `comment\_author\_email` (`comment\_author\_email`,`comment\_post\_ID`,`comment\_ID`)
 KEY `comment\_post\_parent\_approved` (`comment\_post\_ID`,`comment\_parent`,`comment\_approved`,`comment\_type`,`user\_id`,`comment\_date\_gmt`,`comment\_ID`)
 KEY `comment\_post\_id` (`comment\_post\_ID`)

wp_links (13 columns, Empty)

Column	Type	Null	Default	Extra
link_id	bigint(20) unsigned	NO		
link_url	varchar(255)	NO	"	
link_name	varchar(255)	NO	"	
link_image	varchar(255)	NO	"	
link_target	varchar(25)	NO	"	
link_description	varchar(255)	NO	"	
link_visible	varchar(20)	NO	'Y'	
link_owner	bigint(20) unsigned	NO	1	
link_rating	int(11)	NO	0	
link_updated	datetime	NO	'0000-00-00 00:00:00'	
link_rel	varchar(255)	NO	"	
link_notes	mediumtext	NO		
link_rss	varchar(255)	NO	"	

Keys: PRIMARY KEY (`link\_id`)
 KEY `link\_visible` (`link\_visible`)

wp_postmeta (4 columns, Has data)

Column	Type	Null	Default	Extra
meta_id	bigint(20) unsigned	NO		

Column	Type	Null	Default	Extra
post_id	bigint(20) unsigned	NO	0	
meta_key	varchar(255)	NO		
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`post\_id`,`meta\_key`,`meta\_id`)
 UNIQUE KEY `meta\_id` (`meta\_id`)
 KEY `meta\_key` (`meta\_key`,`meta\_value`(32),`post\_id`,`meta\_id`)
 KEY `meta\_value` (`meta\_value`(32),`meta\_id`)
 KEY `post\_id` (`post\_id`)

wp_posts (23 columns, Has data)

Column	Type	Null	Default	Extra
ID	bigint(20) unsigned	NO		
post_author	bigint(20) unsigned	NO	0	
post_date	datetime	NO	'0000-00-00 00:00:00'	
post_date_gmt	datetime	NO	'0000-00-00 00:00:00'	
post_content	longtext	NO		
post_title	text	NO		
post_excerpt	text	NO		
post_status	varchar(20)	NO	'publish'	
comment_status	varchar(20)	NO	'open'	
ping_status	varchar(20)	NO	'open'	
post_password	varchar(255)	NO	"	
post_name	varchar(200)	NO	"	
to_ping	text	NO		
pinged	text	NO		
post_modified	datetime	NO	'0000-00-00 00:00:00'	
post_modified_gmt	datetime	NO	'0000-00-00 00:00:00'	
post_content_filtered	longtext	NO		
post_parent	bigint(20) unsigned	NO	0	
guid	varchar(255)	NO	"	
menu_order	int(11)	NO	0	
post_type	varchar(20)	NO	'post'	
post_mime_type	varchar(100)	NO	"	
comment_count	bigint(20)	NO	0	

Keys: PRIMARY KEY (`ID`)
 KEY `post\_name` (`post\_name`)
 KEY `post\_parent` (`post\_parent`,`post\_type`,`post\_status`)
 KEY `type\_status\_date` (`post\_type`,`post\_status`,`post\_date`,`post\_author`)
 KEY `post\_author` (`post\_author`,`post\_type`,`post\_status`,`post\_date`)
 KEY `type\_status\_author` (`post\_type`,`post\_status`,`post\_author`)

wp_term_relationships (3 columns, Has data)

Column	Type	Null	Default	Extra
object_id	bigint(20) unsigned	NO	0	
term_taxonomy_id	bigint(20) unsigned	NO	0	
term_order	int(11)	NO	0	

Keys: PRIMARY KEY (`object\_id`,`term\_taxonomy\_id`)
 KEY `term\_taxonomy\_id` (`term\_taxonomy\_id`)

wp_term_taxonomy (6 columns, Has data)

Column	Type	Null	Default	Extra
term_taxonomy_id	bigint(20) unsigned	NO		
term_id	bigint(20) unsigned	NO	0	
taxonomy	varchar(32)	NO	"	
description	longtext	NO		
parent	bigint(20) unsigned	NO	0	
count	bigint(20)	NO	0	

Keys: PRIMARY KEY (`term\_taxonomy\_id`)
 UNIQUE KEY `term\_id\_taxonomy` (`term\_id`,`taxonomy`)
 KEY `taxonomy` (`taxonomy`)

wp_termmeta (4 columns, Has data)

Column	Type	Null	Default	Extra
meta_id	bigint(20) unsigned	NO		
term_id	bigint(20) unsigned	NO	0	
meta_key	varchar(255)	NO		
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`term\_id`,`meta\_key`,`meta\_id`)
 UNIQUE KEY `meta\_id` (`meta\_id`)
 KEY `meta\_key` (`meta\_key`,`meta\_value`(32),`term\_id`,`meta\_id`)
 KEY `meta\_value` (`meta\_value`(32),`meta\_id`)
 KEY `term\_id` (`term\_id`)

wp_terms (4 columns, Has data)

Column	Type	Null	Default	Extra
term_id	bigint(20) unsigned	NO		
name	varchar(200)	NO	"	
slug	varchar(200)	NO	"	
term_group	bigint(10)	NO	0	

Keys: PRIMARY KEY (`term\_id`)
 KEY `slug` (`slug`(191))
 KEY `name` (`name`(191))

wp_wc_category_lookup (2 columns, Has data)

Column	Type	Null	Default	Extra
category_tree_id	bigint(20) unsigned	NO		
category_id	bigint(20) unsigned	NO		

Keys: PRIMARY KEY (`category\_tree\_id`,`category\_id`)

wp_wc_product_meta_lookup (15 columns, Has data)

Column	Type	Null	Default	Extra
product_id	bigint(20)	NO		
sku	varchar(100)	YES	"	
global_unique_id	varchar(100)	YES	"	
virtual	tinyint(1)	YES	0	
downloadable	tinyint(1)	YES	0	
min_price	decimal(19,4)	YES	NULL	
max_price	decimal(19,4)	YES	NULL	
onsale	tinyint(1)	YES	0	
stock_quantity	double	YES	NULL	
stock_status	varchar(100)	YES	'instock'	
rating_count	bigint(20)	YES	0	
average_rating	decimal(3,2)	YES	0.00	
total_sales	bigint(20)	YES	0	
tax_status	varchar(100)	YES	'taxable'	
tax_class	varchar(100)	YES	"	

Keys: PRIMARY KEY (`product\_id`)
KEY `virtual` (`virtual`)
KEY `downloadable` (`downloadable`)
KEY `stock\_status` (`stock\_status`)
KEY `stock\_quantity` (`stock\_quantity`)
KEY `onsale` (`onsale`)
KEY `min\_max\_price` (`min\_price`,`max\_price`)
KEY `sku` (`sku`(50))

wp_wc_reserved_stock (5 columns, Empty)

Column	Type	Null	Default	Extra
order_id	bigint(20)	NO		
product_id	bigint(20)	NO		
stock_quantity	double	NO	0	
timestamp	datetime	NO	'0000-00-00 00:00:00'	
expires	datetime	NO	'0000-00-00 00:00:00'	

Keys: PRIMARY KEY (`order\_id`,`product\_id`)
KEY `product\_id\_expires` (`product\_id`,`expires`)

wp_wc_tax_rate_classes (3 columns, Empty)

Column	Type	Null	Default	Extra
tax_rate_class_id	bigint(20) unsigned	NO		
name	varchar(200)	NO	"	
slug	varchar(200)	NO	"	

Keys: PRIMARY KEY (`tax\_rate\_class\_id`)
UNIQUE KEY `slug` (`slug`(191))

wp_woocommerce_order_itemmeta (4 columns, Has data)

Column	Type	Null	Default	Extra
meta_id	bigint(20) unsigned	NO		
order_item_id	bigint(20) unsigned	NO		
meta_key	varchar(255)	NO		
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`order\_item\_id`,`meta\_key`,`meta\_id`)
UNIQUE KEY `meta\_id` (`meta\_id`)
KEY `meta\_key` (`meta\_key`,`meta\_value`(32),`order\_item\_id`,`meta\_id`)
KEY `meta\_value` (`meta\_value`(32),`meta\_id`)
KEY `order\_item\_id` (`order\_item\_id`)

wp_woocommerce_payment_tokenmeta (4 columns, Empty)

Column	Type	Null	Default	Extra
meta_id	bigint(20) unsigned	NO		
payment_token_id	bigint(20) unsigned	NO		
meta_key	varchar(255)	YES	NULL	
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`meta\_id`)
KEY `payment\_token\_id` (`payment\_token\_id`)
KEY `meta\_key` (`meta\_key`(32))

wp_aioseo_ai_insights_keyword_reports (9 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
uuid	varchar(40)	NO		
keyword	varchar(255)	NO		
status	varchar(20)	NO	'pending'	
brands	longtext	YES	NULL	
brands_mentioned	int(11)	YES	0	
results	longtext	YES	NULL	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
KEY `ndx\_aioseo\_ai\_insights\_keyword\_reports\_uuid` (`uuid`)
KEY `ndx\_aioseo\_ai\_insights\_keyword\_reports\_keyword` (`keyword`)
KEY `ndx\_aioseo\_ai\_insights\_keyword\_reports\_status` (`status`)

wp_aioseo_blc_cache (7 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
value	longtext	NO		
is_object	tinyint(1)	YES	0	

Column	Type	Null	Default	Extra
expiration	datetime	YES	NULL	
created	datetime	NO		
updated	datetime	NO		
name	varchar(80)	NO		

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `ndx\_aioseo\_blc\_cache\_name` (`name`)
 KEY `ndx\_aioseo\_blc\_cache\_expiration` (`expiration`)

wp_aioseo_blc_link_status (19 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
url	text	NO		
url_hash	varchar(40)	NO		
http_status_code	smallint(6)	YES	NULL	
broken	tinyint(1) unsigned	NO	0	
dismissed	tinyint(1)	NO	0	
request_duration	float	YES	NULL	
scan_count	int(4) unsigned	NO	0	
redirect_count	smallint(5) unsigned	NO	0	
final_url	text	YES	NULL	
first_failure	datetime	YES	NULL	
log	text	YES	NULL	
last_scan_date	datetime	YES	NULL	
created	datetime	NO		
updated	datetime	NO		
needs_additional_scan	tinyint(1) unsigned	NO	0	
client_confirmed_broken	tinyint(1) unsigned	NO	0	
last_success	datetime	YES	NULL	
local_scan_count	int(4) unsigned	NO	0	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `ndx\_aioseo\_blc\_link\_status\_url\_hash` (`url\_hash`)

wp_aioseo_blc_links (16 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
post_id	bigint(20) unsigned	NO		
blc_link_status_id	bigint(20) unsigned	YES	NULL	
url	text	NO		
url_hash	varchar(40)	NO		
hostname	text	NO		

Column	Type	Null	Default	Extra
hostname_url	varchar(40)	NO		
external	tinyint(1)	NO	0	
anchor	text	NO		
phrase	text	NO		
phrase_html	text	NO		
paragraph	mediumtext	NO		
paragraph_html	mediumtext	NO		
created	datetime	NO		
updated	datetime	NO		
is_video	tinyint(1)	NO	0	

Keys: PRIMARY KEY (`id`)
 KEY `ndx\_aioseo\_blc\_links\_post\_id` (`post\_id`)
 KEY `ndx\_aioseo\_blc\_links\_hostname` (`hostname`(10))

wp_aioseo_blc_notifications (18 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
notification_id	bigint(20) unsigned	YES	NULL	
notification_name	varchar(255)	YES	NULL	
slug	varchar(13)	NO		
title	text	NO		
content	longtext	NO		
type	varchar(64)	NO		
level	text	NO		
start	datetime	YES	NULL	
end	datetime	YES	NULL	
button1_label	varchar(255)	YES	NULL	
button1_action	varchar(255)	YES	NULL	
button2_label	varchar(255)	YES	NULL	
button2_action	varchar(255)	YES	NULL	
dismissed	tinyint(1)	NO	0	
new	tinyint(1)	NO	1	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `ndx\_aioseo\_blc\_notifications\_slug` (`slug`)
 KEY `ndx\_aioseo\_blc\_notifications\_dates` (`start`,`end`)
 KEY `ndx\_aioseo\_blc\_notifications\_type` (`type`)
 KEY `ndx\_aioseo\_blc\_notifications\_dismissed` (`dismissed`)

wp_aioseo_blc_posts (5 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
post_id	bigint(20) unsigned	NO		
link_scan_date	datetime	YES	NULL	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `ndx\_aioseo\_blc\_posts\_post\_id` (`post\_id`)

wp_aioseo_cache (8 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
key	varchar(80)	YES	NULL	
value	longtext	NO		
is_object	tinyint(1)	YES	0	
expiration	datetime	YES	NULL	
created	datetime	NO		
updated	datetime	NO		
name	varchar(80)	NO		

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `ndx\_aioseo\_cache\_name` (`name`)

KEY `ndx\_aioseo\_cache\_expiration` (`expiration`)

wp_aioseo_crawl_cleanup_blocked_args (10 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
param	text	YES	NULL	
key	text	YES	NULL	
value	text	YES	NULL	
key_value_hash	varchar(40)	YES	NULL	
regex	varchar(150)	YES	NULL	
hits	int(20)	NO	0	
created	datetime	NO		
updated	datetime	NO		
param_value_hash	varchar(40)	YES	NULL	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `ndx\_aioseo\_crawl\_cleanup\_blocked\_args\_regex` (`regex`)

UNIQUE KEY `ndx\_aioseo\_crawl\_cleanup\_blocked\_args\_param\_value\_hash` (`param\_value\_hash`)

wp_aioseo_crawl_cleanup_logs (9 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		

Column	Type	Null	Default	Extra
slug	text	NO		
param	text	NO		
key	text	YES	NULL	
value	text	YES	NULL	
hash	varchar(40)	NO		
hits	int(20)	NO	1	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `ndx\_aioseo\_crawl\_cleanup\_logs\_hash` (`hash`)

wp_aioseo_notifications (19 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
slug	varchar(13)	NO		
addon	varchar(64)	YES	NULL	
title	text	NO		
content	longtext	NO		
type	varchar(64)	NO		
level	text	NO		
notification_id	bigint(20) unsigned	YES	NULL	
notification_name	varchar(255)	YES	NULL	
start	datetime	YES	NULL	
end	datetime	YES	NULL	
button1_label	varchar(255)	YES	NULL	
button1_action	varchar(255)	YES	NULL	
button2_label	varchar(255)	YES	NULL	
button2_action	varchar(255)	YES	NULL	
dismissed	tinyint(1)	NO	0	
new	tinyint(1)	NO	1	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `ndx\_aioseo\_notifications\_slug` (`slug`)

KEY `ndx\_aioseo\_notifications\_dates` (`start`,`end`)

KEY `ndx\_aioseo\_notifications\_type` (`type`)

KEY `ndx\_aioseo\_notifications\_dismissed` (`dismissed`)

wp_aioseo_posts (62 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		

Column	Type	Null	Default	Extra
post_id	bigint(20) unsigned	NO		
title	text	YES	NULL	
description	text	YES	NULL	
keywords	mediumtext	YES	NULL	
keyphrases	longtext	YES	NULL	
page_analysis	longtext	YES	NULL	
primary_term	longtext	YES	NULL	
canonical_url	text	YES	NULL	
og_title	text	YES	NULL	
og_description	text	YES	NULL	
og_object_type	varchar(64)	YES	'default'	
og_image_type	varchar(64)	YES	'default'	
og_image_url	text	YES	NULL	
og_image_width	int(11)	YES	NULL	
og_image_height	int(11)	YES	NULL	
og_image_custom_url	text	YES	NULL	
og_image_custom_fields	text	YES	NULL	
og_video	varchar(255)	YES	NULL	
og_custom_url	text	YES	NULL	
og_article_section	text	YES	NULL	
og_article_tags	text	YES	NULL	
twitter_use_og	tinyint(1)	YES	0	
twitter_card	varchar(64)	YES	'default'	
twitter_image_type	varchar(64)	YES	'default'	
twitter_image_url	text	YES	NULL	
twitter_image_custom_url	text	YES	NULL	
twitter_image_custom_fields	text	YES	NULL	
twitter_title	text	YES	NULL	
twitter_description	text	YES	NULL	
seo_score	int(11)	NO	0	
schema	longtext	YES	NULL	
schema_type	varchar(20)	YES	'default'	
schema_type_options	longtext	YES	NULL	
pillar_content	tinyint(1)	YES	NULL	
robots_default	tinyint(1)	NO	1	
robots_noindex	tinyint(1)	NO	0	
robots_noarchive	tinyint(1)	NO	0	

Column	Type	Null	Default	Extra
robots_nosnippet	tinyint(1)	NO	0	
robots_nofollow	tinyint(1)	NO	0	
robots_noimageindex	tinyint(1)	NO	0	
robots_noodp	tinyint(1)	NO	0	
robots_notranslate	tinyint(1)	NO	0	
robots_max_snippet	int(11)	YES	NULL	
robots_max_videopreview	int(11)	YES	NULL	
robots_max_imagepreview	varchar(20)	YES	'large'	
images	longtext	YES	NULL	
image_scan_date	datetime	YES	NULL	
priority	float	YES	NULL	
frequency	tinytext	YES	NULL	
videos	longtext	YES	NULL	
video_thumbnail	text	YES	NULL	
video_scan_date	datetime	YES	NULL	
local_seo	longtext	YES	NULL	
breadcrumb_settings	longtext	YES	NULL	
limit_modified_date	tinyint(1)	NO	0	
options	longtext	YES	NULL	
open_ai	mediumtext	YES	NULL	
ai	longtext	YES	NULL	
created	datetime	NO		
updated	datetime	NO		
seo_analyzer_scan_date	datetime	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `ndx\_aioseo\_posts\_post\_id` (`post\_id`)
 KEY `ndx\_aioseo\_posts\_pillar\_content` (`pillar\_content`)

wp_aioseo_revisions (8 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
object_id	bigint(20)	NO		
object_type	varchar(20)	NO		
author_id	bigint(20)	NO		
note	varchar(255)	YES	NULL	
revision_data	longtext	NO		
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
 KEY `object` (`object\_id`,`object\_type`)

wp_aioseo_search_statistics_objects (12 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
object_id	bigint(20) unsigned	YES	NULL	
object_type	varchar(100)	YES	NULL	
object_subtype	varchar(100)	YES	NULL	
object_path	varchar(500)	NO		
object_path_hash	varchar(40)	NO		
seo_score	int(11) unsigned	NO		
inspection_result	longtext	YES	NULL	
inspection_result_date	datetime	YES	NULL	
indexed	tinyint(1)	NO	0	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
KEY `ndx\_aioseo\_object\_id1` (`object\_id`)
KEY `ndx\_aioseo\_object\_path\_hash1` (`object\_path\_hash`)

wp_aioseo_seo_analyzer_results (6 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
data	text	NO		
score	varchar(255)	YES	NULL	
competitor_url	varchar(255)	YES	NULL	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
KEY `ndx\_aioseo\_seo\_analyzer\_results\_competitor\_url` (`competitor\_url`)

wp_aioseo_terms (46 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
term_id	bigint(20) unsigned	NO		
title	text	YES	NULL	
description	text	YES	NULL	
keywords	mediumtext	YES	NULL	
canonical_url	text	YES	NULL	
og_title	text	YES	NULL	
og_description	text	YES	NULL	
og_object_type	varchar(64)	YES	'default'	

Column	Type	Null	Default	Extra
og_image_type	varchar(64)	YES	'default'	
og_image_custom_url	text	YES	NULL	
og_image_custom_fields	text	YES	NULL	
og_custom_image_width	int(11)	YES	NULL	
og_custom_image_height	int(11)	YES	NULL	
og_video	varchar(255)	YES	NULL	
og_custom_url	text	YES	NULL	
og_article_section	text	YES	NULL	
og_article_tags	text	YES	NULL	
twitter_use_og	tinyint(1)	YES	0	
twitter_card	varchar(64)	YES	'default'	
twitter_image_type	varchar(64)	YES	'default'	
twitter_image_custom_url	text	YES	NULL	
twitter_image_custom_fields	text	YES	NULL	
twitter_title	text	YES	NULL	
twitter_description	text	YES	NULL	
pillar_content	tinyint(1)	YES	NULL	
robots_default	tinyint(1)	NO	1	
robots_noindex	tinyint(1)	NO	0	
robots_noarchive	tinyint(1)	NO	0	
robots_nosnippet	tinyint(1)	NO	0	
robots_nofollow	tinyint(1)	NO	0	
robots_noimageindex	tinyint(1)	NO	0	
robots_noodp	tinyint(1)	NO	0	
robots_notranslate	tinyint(1)	NO	0	
robots_max_snippet	int(11)	YES	NULL	
robots_max_videopreview	int(11)	YES	NULL	
robots_max_imagepreview	varchar(20)	YES	'large'	
priority	float	YES	NULL	
frequency	tinytext	YES	NULL	
images	longtext	YES	NULL	
videos	longtext	YES	NULL	
video_scan_date	datetime	YES	NULL	
tabs	mediumtext	YES	NULL	
local_seo	longtext	YES	NULL	
created	datetime	NO		
updated	datetime	NO		

Keys: PRIMARY KEY (`id`)
KEY `ndx\_aioseo\_terms\_term\_id` (`term\_id`)

wp_aioseo_writing_assistant_keywords (10 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
uuid	varchar(40)	NO		
keyword	varchar(255)	NO		
country	varchar(10)	NO	'us'	
language	varchar(10)	NO	'en'	
progress	tinyint(3)	YES	0	
keywords	mediumtext	YES	NULL	
competitors	mediumtext	YES	NULL	
created	datetime	NO		
updated	datetime	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `ndx\_aioseo\_writing\_assistant\_keywords\_uuid` (`uuid`)
KEY `ndx\_aioseo\_writing\_assistant\_keywords\_keyword` (`keyword`)

wp_aioseo_writing_assistant_posts (7 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
post_id	bigint(20) unsigned	YES	NULL	
keyword_id	bigint(20) unsigned	YES	NULL	
content_analysis_hash	varchar(40)	YES	NULL	
content_analysis	text	YES	NULL	
created	datetime	NO		
updated	datetime	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `ndx\_aioseo\_writing\_assistant\_posts\_post\_id` (`post\_id`)
KEY `ndx\_aioseo\_writing\_assistant\_posts\_keyword\_id` (`keyword\_id`)

wp_cartflows_ca_cart_abandonment (11 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
checkout_id	int(11)	NO		
email	varchar(100)	YES	NULL	
cart_contents	longtext	YES	NULL	
cart_total	decimal(10,2)	YES	NULL	
session_id	varchar(60)	NO		
other_fields	longtext	YES	NULL	
order_status	enum('normal','abandoned','completed','lost')	NO	'normal'	

Column	Type	Null	Default	Extra
unsubscribed	tinyint(1)	YES	0	
coupon_code	varchar(50)	YES	NULL	
time	datetime	YES	NULL	

Keys: PRIMARY KEY (`id`,`session\_id`)
 UNIQUE KEY `session\_id\_UNIQUE` (`session\_id`)

wp_cartflows_ca_email_history (6 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
template_id	bigint(20)	NO		
ca_session_id	varchar(60)	YES	NULL	
coupon_code	varchar(50)	YES	NULL	
scheduled_time	datetime	YES	NULL	
email_sent	tinyint(1)	YES	0	

Keys: PRIMARY KEY (`id`)
 KEY `template\_id` (`template\_id`)
 KEY `ca\_session\_id` (`ca\_session\_id`)
 CONSTRAINT `wp\_cartflows\_ca\_email\_history\_ibfk\_1` FOREIGN KEY (`template\_id`) REFERENCES `wp\_cartflows\_ca\_email\_templates` (`id`) ON DELETE CASCADE
 CONSTRAINT `wp\_cartflows\_ca\_email\_history\_ibfk\_2` FOREIGN KEY (`ca\_session\_id`) REFERENCES `wp\_cartflows\_ca\_cart\_abandonment` (`session\_id`) ON DELETE CASCADE

wp_cartflows_ca_email_templates (7 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
template_name	text	NO		
email_subject	text	NO		
email_body	mediumtext	NO		
is_activated	tinyint(1)	NO	0	
frequency	int(11)	NO		
frequency_unit	enum('MINUTE','HOUR','DAY')	NO	'MINUTE'	

Keys: PRIMARY KEY (`id`)

wp_cartflows_ca_email_templates_meta (4 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
email_template_id	bigint(20)	NO		
meta_key	varchar(255)	NO		
meta_value	longtext	NO		

Keys: PRIMARY KEY (`id`)
 KEY `email\_template\_id` (`email\_template\_id`)
 CONSTRAINT `wp\_cartflows\_ca\_email\_templates\_meta\_ibfk\_1` FOREIGN KEY (`email\_template\_id`) REFERENCES `wp\_cartflows\_ca\_email\_templates` (`id`) ON DELETE CASCADE

wp_dokan_announcement (4 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	NO		
post_id	bigint(11)	NO		
status	varchar(30)	NO		

Keys: PRIMARY KEY (`id`)

wp_dokan_order_stats (12 columns, Empty)

Column	Type	Null	Default	Extra
order_id	bigint(20) unsigned	NO		
vendor_id	bigint(20) unsigned	NO	0	
order_type	tinyint(1)	NO	0	
vendor_earning	double	NO	0	
vendor_gateway_fee	double	NO	0	
vendor_shipping_fee	double	NO	0	
vendor_discount	double	NO	0	
admin_commission	double	NO	0	
admin_gateway_fee	double	NO	0	
admin_shipping_fee	double	NO	0	
admin_discount	double	NO	0	
admin_subsidy	double	NO	0	

Keys: PRIMARY KEY (`order\_id`)

KEY `vendor\_id` (`vendor\_id`)

KEY `order\_type` (`order\_type`)

wp_dokan_orders (6 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
order_id	bigint(20)	YES	NULL	
seller_id	bigint(20)	YES	NULL	
order_total	decimal(19,4)	YES	NULL	
net_amount	decimal(19,4)	YES	NULL	
order_status	varchar(30)	YES	NULL	

Keys: PRIMARY KEY (`id`)

KEY `order\_id` (`order\_id`)

KEY `seller\_id` (`seller\_id`)

wp_dokan_refund (12 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	NO		
seller_id	bigint(20)	NO		

Column	Type	Null	Default	Extra
refund_amount	decimal(19,4)	NO		
refund_reason	text	YES	NULL	
item_qtys	varchar(200)	YES	NULL	
item_totals	text	YES	NULL	
item_tax_totals	text	YES	NULL	
restock_items	varchar(10)	YES	NULL	
date	timestamp	NO		
status	int(1)	NO		
method	varchar(30)	NO		

Keys: PRIMARY KEY (`id`)

wp_dokan_reverse_withdrawal (8 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
trn_id	bigint(20) unsigned	NO		
trn_type	varchar(200)	NO	'order_commission'	
vendor_id	bigint(20) unsigned	NO		
note	mediumtext	YES	NULL	
debit	decimal(19,4)	NO	0.0000	
credit	decimal(19,4)	NO	0.0000	
trn_date	int(11) unsigned	NO	0	

Keys: PRIMARY KEY (`id`)
 KEY `trn\_date` (`trn\_date`)
 KEY `vendor\_id\_trn\_date` (`vendor\_id`,`trn\_date`)
 KEY `vendor\_id` (`vendor\_id`)
 KEY `trn\_id\_type` (`trn\_id`,`trn\_type`(191))
 KEY `vendor\_id\_trn\_date\_type` (`vendor\_id`,`trn\_date`,`trn\_type`(191))

wp_dokan_vendor_balance (10 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
vendor_id	bigint(20) unsigned	NO		
trn_id	bigint(20) unsigned	NO		
trn_type	varchar(30)	NO		
perticulars	text	NO		
debit	decimal(19,4)	NO		
credit	decimal(19,4)	NO		
status	varchar(30)	YES	NULL	
trn_date	timestamp	NO		
balance_date	timestamp	NO		

Keys: PRIMARY KEY (`id`)

wp_dokan_withdraw (9 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	NO		
amount	decimal(19,4)	NO		
date	timestamp	NO		
status	int(1)	NO		
method	varchar(30)	NO		
note	text	NO		
details	longtext	YES	NULL	
ip	varchar(50)	NO		

Keys: PRIMARY KEY (`id`)

wp_duplicator_packages (7 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
name	varchar(250)	NO		
hash	varchar(50)	NO		
status	int(11)	NO		
created	datetime	NO	'0000-00-00 00:00:00'	
owner	varchar(60)	NO		
package	longtext	NO		

Keys: PRIMARY KEY (`id`)

KEY `hash` (`hash`)

wp_e_events (3 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
event_data	text	YES	NULL	
created_at	datetime	NO		

Keys: PRIMARY KEY (`id`)

KEY `created\_at\_index` (`created\_at`)

wp_gla_attribute_mapping_rules (5 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
attribute	varchar(255)	NO		
source	varchar(100)	NO		
category_condition_type	varchar(10)	NO		
categories	text	YES	"	

Keys: PRIMARY KEY (`id`)

wp_gla_budget_recommendations (4 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
currency	varchar(3)	NO		
country	varchar(2)	NO		
daily_budget	int(11)	NO		

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `country\_currency` (`country`,`currency`)

wp_gla_merchant_issues (12 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
product_id	bigint(20)	NO		
issue	varchar(200)	NO		
code	varchar(100)	NO		
severity	varchar(20)	NO	'warning'	
product	varchar(100)	NO		
action	text	NO		
action_url	varchar(1024)	NO		
applicable_countries	text	NO		
source	varchar(10)	NO	'mc'	
type	varchar(10)	NO	'product'	
created_at	datetime	NO		

Keys: PRIMARY KEY (`id`)

wp_gla_merchant_price_benchmarks (19 columns, Has data)

Column	Type	Null	Default	Extra
product_id	bigint(20)	NO		
mc_product_id	varchar(255)	NO		
mc_product_offer_id	varchar(255)	NO		
mc_product_price_micros	varchar(64)	NO		
mc_product_currency_code	varchar(3)	NO		
mc_price_country_code	varchar(2)	NO		
mc_price_benchmark_price_micros	varchar(64)	NO		
mc_price_benchmark_price_currency_code	varchar(3)	NO		
mc_insights_suggested_price_micros	varchar(64)	NO		
mc_insights_suggested_price_currency_code	varchar(3)	NO		
mc_insights_predicted_impressions_change	decimal(4,0) fraction	NO		
mc_insights_predicted_clicks_change	decimal(10,6)	NO		
mc_insights_predicted_conversions_change	decimal(4,0) fraction	NO		

Column	Type	Null	Default	Extra
mc_insights_effectiveness	tinyint(1)	NO		
mc_metrics_clicks	varchar(64)	NO		
mc_metrics_impressions	varchar(64)	NO		
mc_metrics_ctr	int(20)	NO		
mc_metrics_conversions	int(20)	NO		
price_compared_with_benchmark	tinyint(1)	NO	0	

Keys: PRIMARY KEY (`product\_id`)
 UNIQUE KEY `mc\_product\_id` (`mc\_product\_id`)
 KEY `mc\_insights\_effectiveness` (`mc\_insights\_effectiveness`)
 KEY `price\_compared\_with\_benchmark` (`price\_compared\_with\_benchmark`)

wp_gla_shipping_rates (5 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
country	varchar(2)	NO		
currency	varchar(3)	NO		
rate	double	NO	0	
options	text	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `country` (`country`)
 KEY `currency` (`currency`)

wp_gla_shipping_times (4 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
country	varchar(2)	NO		
time	bigint(20)	NO	0	
max_time	bigint(20)	NO	0	

Keys: PRIMARY KEY (`id`)
 KEY `country` (`country`)

wp_jetpack_sync_queue (5 columns, Empty)

Column	Type	Null	Default	Extra
ID	bigint(20)	NO		
queue_id	varchar(50)	NO		
event_id	varchar(100)	NO		
event_payload	longtext	NO		
timestamp	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`ID`)
 KEY `event\_id` (`event\_id`)
 KEY `queue\_id` (`queue\_id`)
 KEY `queue\_id\_event\_id` (`queue\_id`, `event\_id`)
 KEY `timestamp` (`timestamp`)

wp_leopards_courier (3 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11)	NO		
store_key	varchar(200)	NO		
store_value	longtext	NO		

Keys: PRIMARY KEY (`id`)

wp_leopards_courier_load_sheet (7 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11)	NO		
track_no	varchar(200)	NO		
load_sheet_id	int(11)	NO		
booking_datetime	varchar(200)	NO		
total_cn	int(20)	NO		
courier_name	varchar(200)	NO		
Courier_code	varchar(200)	NO		

Keys: PRIMARY KEY (`id`)

wp_leopards_courier_sheet (8 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11)	NO		
track_no	varchar(200)	NO		
user_id	int(11)	NO		
order_id	varchar(50)	NO		
booking_datetime	varchar(200)	NO		
is_sheet	int(11)	NO		
is_cancel	int(11)	NO		
slip_url	text	NO		

Keys: PRIMARY KEY (`id`)

wp_leopards_courier_shippers (5 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11)	NO		
shipper_name	varchar(200)	NO		
shipper_email	varchar(200)	NO		
shipper_address	varchar(200)	NO		
shipper_phone	varchar(200)	NO		

Keys: PRIMARY KEY (`id`)

wp_litespeed_avatar (4 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
url	varchar(1000)	NO	"	
md5	varchar(128)	NO	"	
dateline	int(11)	NO	0	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `md5` (`md5`)
 KEY `dateline` (`dateline`)

wp_litespeed_url (3 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
url	varchar(500)	NO		
cache_tags	varchar(1000)	NO	"	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `url` (`url`(191))
 KEY `cache\_tags` (`cache\_tags`(191))

wp_litespeed_url_file (8 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
url_id	bigint(20)	NO		
vary	varchar(32)	NO	"	
filename	varchar(32)	NO	"	
type	tinyint(4)	NO		
mobile	tinyint(4)	NO		
webp	tinyint(4)	NO		
expired	int(11)	NO	0	

Keys: PRIMARY KEY (`id`)
 KEY `filename` (`filename`)
 KEY `type` (`type`)
 KEY `url\_id\_2` (`url\_id`,`vary`,`type`)
 KEY `filename\_2` (`filename`,`expired`)
 KEY `url\_id` (`url\_id`,`expired`)

wp_mailpoet_automation_run_logs (11 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
automation_run_id	int(11) unsigned	NO		
step_id	varchar(191)	NO		
step_type	varchar(255)	NO		
step_key	varchar(255)	NO		
status	varchar(191)	NO		
started_at	timestamp	YES	NULL	

Column	Type	Null	Default	Extra
updated_at	timestamp	NO	current_timestamp()	
run_number	int(11)	NO		
data	longtext	NO		
error	longtext	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `automation\_run\_id\_step\_id` (`automation\_run\_id`,`step\_id`)
 KEY `status` (`status`)
 KEY `step\_id` (`step\_id`)

wp_mailpoet_automation_run_subjects (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
automation_run_id	int(11) unsigned	NO		
key	varchar(191)	YES	NULL	
args	longtext	YES	NULL	
hash	varchar(191)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `automation\_run\_id` (`automation\_run\_id`)
 KEY `hash` (`hash`)

wp_mailpoet_automation_runs (8 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
automation_id	int(11) unsigned	NO		
version_id	int(11) unsigned	NO		
trigger_key	varchar(191)	NO		
status	varchar(191)	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
next_step_id	varchar(191)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `automation\_id` (`automation\_id`,`status`)
 KEY `created\_at` (`created\_at`)
 KEY `version\_id` (`version\_id`)
 KEY `status` (`status`)
 KEY `next\_step\_id` (`next\_step\_id`)

wp_mailpoet_automation_triggers (2 columns, Empty)

Column	Type	Null	Default	Extra
automation_id	int(11) unsigned	NO		
trigger_key	varchar(191)	NO		

Keys: PRIMARY KEY (`automation\_id`,`trigger\_key`)

wp_mailpoet_automation_versions (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
automation_id	int(11) unsigned	NO		
steps	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
KEY `automation\_id` (`automation\_id`)

wp_mailpoet_automations (9 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(191)	NO		
author	bigint(20)	NO		
status	varchar(191)	NO		
meta	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
activated_at	timestamp	YES	NULL	
deleted_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_mailpoet_custom_fields (6 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(90)	NO		
type	varchar(90)	NO		
params	longtext	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `name` (`name`)

wp_mailpoet_dynamic_segment_filters (7 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
segment_id	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
filter_data	longblob	YES	NULL	
filter_type	varchar(255)	YES	NULL	

Column	Type	Null	Default	Extra
action	varchar(255)	YES	NULL	

Keys: PRIMARY KEY (`id`)
KEY `segment\_id` (`segment\_id`)

wp_mailpoet_feature_flags (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(100)	NO		
value	tinyint(1)	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `name` (`name`)

wp_mailpoet_forms (9 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(90)	NO		
status	varchar(20)	NO	'enabled'	
body	longtext	YES	NULL	
settings	longtext	YES	NULL	
styles	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_mailpoet_log (7 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
name	varchar(255)	YES	NULL	
level	int(11)	YES	NULL	
message	longtext	YES	NULL	
created_at	timestamp	YES	current_timestamp()	
raw_message	longtext	YES	NULL	
context	longtext	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_mailpoet_migrations (6 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(191)	NO		
started_at	timestamp	NO	current_timestamp()	
completed_at	timestamp	YES	NULL	
retries	int(11) unsigned	NO	0	
error	text	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `name` (`name`)

wp_mailpoet_newsletter_links (7 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
url	varchar(2083)	NO		
hash	varchar(20)	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 KEY `newsletter\_id` (`newsletter\_id`)
 KEY `queue\_id` (`queue\_id`)
 KEY `url` (`url`(100))

wp_mailpoet_newsletter_option (6 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
option_field_id	int(11) unsigned	NO		
value	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `newsletter\_id\_option\_field\_id` (`newsletter\_id`,`option\_field\_id`)

wp_mailpoet_newsletter_option_fields (5 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(90)	NO		
newsletter_type	varchar(90)	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `name\_newsletter\_type` (`newsletter\_type`,`name`)

wp_mailpoet_newsletter_posts (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
post_id	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
KEY `newsletter\_id` (`newsletter\_id`)

wp_mailpoet_newsletter_segment (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
segment_id	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
UNIQUE KEY `newsletter\_segment` (`newsletter\_id`,`segment\_id`)

wp_mailpoet_newsletter_templates (11 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11)	YES	0	
name	varchar(250)	NO		
categories	varchar(250)	NO	'[]'	
description	varchar(255)	NO	''	
body	longtext	YES	NULL	
thumbnail	longtext	YES	NULL	
thumbnail_data	longtext	YES	NULL	
readonly	tinyint(1)	YES	0	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

wp_mailpoet_newsletters (19 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
hash	varchar(150)	YES	NULL	

Column	Type	Null	Default	Extra
parent_id	int(11) unsigned	YES	NULL	
subject	varchar(250)	NO	"	
type	varchar(150)	NO	'standard'	
sender_address	varchar(150)	NO	"	
sender_name	varchar(150)	NO	"	
status	varchar(20)	NO	'draft'	
reply_to_address	varchar(150)	NO	"	
reply_to_name	varchar(150)	NO	"	
preheader	varchar(250)	NO	"	
body	longtext	YES	NULL	
sent_at	timestamp	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	
unsubscribe_token	char(15)	YES	NULL	
ga_campaign	varchar(250)	NO	"	
wp_post_id	int(11)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `unsubscribe\_token` (`unsubscribe\_token`)
 KEY `type\_status` (`type`,`status`)
 KEY `wp\_post\_id` (`wp\_post\_id`)

wp_mailpoet_scheduled_task_subscribers (7 columns, Empty)

Column	Type	Null	Default	Extra
task_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
processed	int(1)	NO		
failed	smallint(1)	NO	0	
error	text	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`task\_id`,`subscriber\_id`)
 KEY `subscriber\_id` (`subscriber\_id`)

wp_mailpoet_scheduled_tasks (13 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
type	varchar(90)	YES	NULL	
status	varchar(12)	YES	NULL	
priority	mediumint(9)	NO	0	

Column	Type	Null	Default	Extra
scheduled_at	timestamp	YES	NULL	
processed_at	timestamp	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	
in_progress	int(1)	YES	NULL	
reschedule_count	int(11)	NO	0	
meta	longtext	YES	NULL	
cancelled_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)

KEY `type` (`type`)

KEY `status` (`status`)

wp_mailpoet_segments (10 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(90)	NO		
type	varchar(90)	NO	'default'	
description	varchar(250)	NO	"	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	
average_engagement_score	float unsigned	YES	NULL	
average_engagement_score_updated_at	timestamp	YES	NULL	
display_in_manage_subscription_page	int(1)	NO	0	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `name` (`name`)

KEY `average\_engagement\_score\_updated\_at` (`average\_engagement\_score\_updated\_at`)

wp_mailpoet_sending_queues (13 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
task_id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	YES	NULL	
newsletter_rendered_body	longtext	YES	NULL	
newsletter_rendered_subject	varchar(250)	YES	NULL	
subscribers	longtext	YES	NULL	
count_total	int(11) unsigned	NO	0	
count_processed	int(11) unsigned	NO	0	
count_to_process	int(11) unsigned	NO	0	

Column	Type	Null	Default	Extra
meta	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)
 KEY `task\_id` (`task\_id`)
 KEY `newsletter\_id` (`newsletter\_id`)

wp_mailpoet_settings (5 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(50)	NO		
value	longtext	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `name` (`name`)

wp_mailpoet_statistics_bounces (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
created_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

wp_mailpoet_statistics_clicks (10 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
link_id	int(11) unsigned	NO		
user_agent_id	int(11) unsigned	YES	NULL	
user_agent_type	tinyint(1)	NO	0	
count	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 KEY `newsletter\_id\_subscriber\_id\_user\_agent\_type` (`newsletter\_id`, `subscriber\_id`, `user\_agent\_type`)
 KEY `queue\_id` (`queue\_id`)

KEY `subscriber\_id` (`subscriber\_id`)

wp_mailpoet_statistics_forms (4 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
form_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
created_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `form\_subscriber` (`form\_id`,`subscriber\_id`)

wp_mailpoet_statistics_newsletters (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
sent_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

KEY `newsletter\_id` (`newsletter\_id`)

KEY `subscriber\_id` (`subscriber\_id`)

wp_mailpoet_statistics_opens (7 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
user_agent_id	int(11) unsigned	YES	NULL	
user_agent_type	tinyint(1)	NO	0	
created_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

KEY `newsletter\_id\_subscriber\_id\_user\_agent\_type` (`newsletter\_id`,`subscriber\_id`,`user\_agent\_type`)

KEY `queue\_id` (`queue\_id`)

KEY `subscriber\_id` (`subscriber\_id`)

KEY `created\_at` (`created\_at`)

KEY `subscriber\_id\_created\_at` (`subscriber\_id`,`created\_at`)

wp_mailpoet_statistics_unsubscribes (8 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	YES	NULL	
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	YES	NULL	

Column	Type	Null	Default	Extra
created_at	timestamp	NO	current_timestamp()	
source	varchar(255)	YES	'unknown'	
meta	varchar(255)	YES	NULL	
method	varchar(40)	NO	'unknown'	

Keys: PRIMARY KEY (`id`)
 KEY `newsletter\_id\_subscriber\_id` (`newsletter\_id`,`subscriber\_id`)
 KEY `queue\_id` (`queue\_id`)
 KEY `subscriber\_id` (`subscriber\_id`)

wp_mailpoet_statistics_woocommerce_purchases (11 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	YES	NULL	
subscriber_id	int(11) unsigned	NO		
queue_id	int(11) unsigned	NO		
click_id	int(11) unsigned	NO		
order_id	bigint(20) unsigned	NO		
order_currency	char(3)	NO		
order_price_total	float	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
status	varchar(40)	NO	'unknown'	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `click\_id\_order\_id` (`click\_id`,`order\_id`)
 KEY `newsletter\_id` (`newsletter\_id`)
 KEY `queue\_id` (`queue\_id`)
 KEY `subscriber\_id` (`subscriber\_id`)
 KEY `status` (`status`)

wp_mailpoet_stats_notifications (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
newsletter_id	int(11) unsigned	NO		
task_id	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `newsletter\_id\_task\_id` (`newsletter\_id`,`task\_id`)
 KEY `task\_id` (`task\_id`)

wp_mailpoet_subscriber_custom_field (6 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		

Column	Type	Null	Default	Extra
custom_field_id	int(11) unsigned	NO		
value	text	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `subscriber\_id\_custom\_field\_id` (`subscriber\_id`,`custom\_field\_id`)

wp_mailpoet_subscriber_ips (2 columns, Empty)

Column	Type	Null	Default	Extra
ip	varchar(45)	NO		
created_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`created\_at`,`ip`)

KEY `ip` (`ip`)

wp_mailpoet_subscriber_segment (6 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
segment_id	int(11) unsigned	NO		
status	varchar(12)	NO	'subscribed'	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `subscriber\_segment` (`subscriber\_id`,`segment\_id`)

KEY `segment\_id` (`segment\_id`)

wp_mailpoet_subscriber_tag (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
subscriber_id	int(11) unsigned	NO		
tag_id	int(11) unsigned	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `subscriber\_tag` (`subscriber\_id`,`tag\_id`)

KEY `tag\_id` (`tag\_id`)

wp_mailpoet_subscribers (29 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
wp_user_id	bigint(20)	YES	NULL	
is_woocommerce_user	int(1)	NO	0	

Column	Type	Null	Default	Extra
first_name	varchar(255)	NO	"	
last_name	varchar(255)	NO	"	
email	varchar(150)	NO		
status	varchar(12)	NO	'unconfirmed'	
subscribed_ip	varchar(45)	YES	NULL	
confirmed_ip	varchar(45)	YES	NULL	
confirmed_at	timestamp	YES	NULL	
last_subscribed_at	timestamp	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
deleted_at	timestamp	YES	NULL	
unconfirmed_data	longtext	YES	NULL	
source	enum('form','imported','administrator','wordpress_user','woocommerce_user','woocommerce_checkout','unknown')	YES		
count_confirmations	int(11) unsigned	NO	0	
unsubscribe_token	char(15)	YES	NULL	
link_token	char(32)	YES	NULL	
engagement_score	float unsigned	YES	NULL	
engagement_score_updated_at	timestamp	YES	NULL	
last_engagement_at	timestamp	YES	NULL	
woocommerce_synced_at	timestamp	YES	NULL	
email_count	int(11) unsigned	NO	0	
last_sending_at	timestamp	YES	NULL	
last_open_at	timestamp	YES	NULL	
last_click_at	timestamp	YES	NULL	
last_purchase_at	timestamp	YES	NULL	
last_page_view_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `email` (`email`)
 UNIQUE KEY `unsubscribe\_token` (`unsubscribe\_token`)
 KEY `wp\_user\_id` (`wp\_user\_id`)
 KEY `updated\_at` (`updated\_at`)
 KEY `status\_deleted\_at` (`status`,`deleted\_at`)
 KEY `last\_subscribed\_at` (`last\_subscribed\_at`)
 KEY `engagement\_score\_updated\_at` (`engagement\_score\_updated\_at`)
 KEY `link\_token` (`link\_token`)
 KEY `first\_name` (`first\_name`(10))
 KEY `last\_name` (`last\_name`(10))
 KEY `last\_sending\_at` (`last\_sending\_at`)
 KEY `last\_open\_at` (`last\_open\_at`)
 KEY `last\_click\_at` (`last\_click\_at`)
 KEY `last\_purchase\_at` (`last\_purchase\_at`)
 KEY `last\_page\_view\_at` (`last\_page\_view\_at`)

wp_mailpoet_tags (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
name	varchar(191)	NO		
description	text	NO	"	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `name` (`name`)

wp_mailpoet_user_agents (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
hash	varchar(32)	NO		
user_agent	text	NO		
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `hash` (`hash`)

wp_mailpoet_user_flags (6 columns, Empty)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
user_id	bigint(20)	NO		
name	varchar(50)	NO		
value	varchar(255)	YES	NULL	
created_at	timestamp	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `user\_id\_name` (`user\_id`, `name`)

wp_monsterinsights_cache (6 columns, Has data)

Column	Type	Null	Default	Extra
cache_id	bigint(20) unsigned	NO		
cache_key	varchar(255)	NO		
cache_value	longtext	NO		
cache_group	varchar(64)	YES	'default'	
expires_at	datetime	NO		
created_at	datetime	NO	current_timestamp()	

Keys: PRIMARY KEY (`cache\_id`)
 UNIQUE KEY `cache\_key\_group` (`cache\_key`, `cache\_group`)
 KEY `expires\_at` (`expires\_at`)
 KEY `created\_at` (`created\_at`)

wp_rank_math_internal_links (5 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
url	varchar(255)	NO		
post_id	bigint(20) unsigned	NO		
target_post_id	bigint(20) unsigned	NO		
type	varchar(8)	NO		

Keys: PRIMARY KEY (`id`)
KEY `link\_direction` (`post\_id`,`type`)

wp_rank_math_internal_meta (4 columns, Empty)

Column	Type	Null	Default	Extra
object_id	bigint(20) unsigned	NO		
internal_link_count	int(10) unsigned	YES	0	
external_link_count	int(10) unsigned	YES	0	
incoming_link_count	int(10) unsigned	YES	0	

Keys: PRIMARY KEY (`object\_id`)

wp_sgpb_subscribers (9 columns, Empty)

Column	Type	Null	Default	Extra
id	int(12)	NO		
firstName	varchar(255)	YES	NULL	
lastName	varchar(255)	YES	NULL	
email	varchar(255)	YES	NULL	
subscriptionType	int(12)	YES	NULL	
cDate	date	YES	NULL	
status	varchar(255)	YES	NULL	
unsubscribed	int(11)	YES	0	
unsubscribe_token	varchar(255)	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_sgpb_subscription_error_log (5 columns, Empty)

Column	Type	Null	Default	Extra
id	int(12)	NO		
firstName	varchar(255)	YES	NULL	
popupType	varchar(255)	YES	NULL	
email	varchar(255)	YES	NULL	
date	varchar(255)	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_social_users (7 columns, Empty)

Column	Type	Null	Default	Extra
social_users_id	int(11)	NO		
ID	int(11)	NO		
type	varchar(20)	NO		
identifier	varchar(100)	NO		
register_date	datetime	YES	NULL	
login_date	datetime	YES	NULL	
link_date	datetime	YES	NULL	

Keys: PRIMARY KEY (`social\_users\_id`)

KEY `ID` (`ID`, `type`)

KEY `identifier` (`identifier`)

wp_userfeedback_email_survey_responses (14 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
survey_id	bigint(20)	NO		
session_token	varchar(64)	NO		
rating_value	varchar(50)	NO		
utm_campaign	varchar(255)	YES	NULL	
utm_medium	varchar(255)	YES	NULL	
utm_source	varchar(255)	YES	NULL	
utm_term	varchar(255)	YES	NULL	
utm_content	varchar(255)	YES	NULL	
comment	text	YES	NULL	
comment_submitted_at	timestamp	YES	NULL	
user_agent	varchar(255)	YES	NULL	
referrer	varchar(500)	YES	NULL	
created_at	timestamp	NO		

Keys: PRIMARY KEY (`id`)

UNIQUE KEY `session\_token` (`session\_token`)

KEY `survey\_id` (`survey\_id`)

KEY `rating\_value` (`rating\_value`)

KEY `utm\_campaign` (`utm\_campaign`)

KEY `utm\_medium` (`utm\_medium`)

KEY `utm\_source` (`utm\_source`)

KEY `created\_at` (`created\_at`)

CONSTRAINT `wp\_userfeedback\_email\_survey\_responses\_ibfk\_1` FOREIGN KEY (`survey\_id`) REFERENCES `wp\_userfeedback\_email\_surveys` (`id`) ON DELETE CASCADE

wp_userfeedback_email_surveys (15 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
slug	varchar(255)	NO		
secret_key	varchar(64)	NO		
title	varchar(255)	NO		

Column	Type	Null	Default	Extra
link_text	varchar(255)	YES	'How would you rate	
status	enum('publish','draft','trash')	YES	'draft'	
rating_options	longtext	YES	NULL	
thank_you_message	varchar(255)	YES	'Thank You For Your	
collect_feedback	tinyint(1)	YES	1	
feedback_field_label	varchar(255)	YES	'Why did you rate us	
feedback_response	varchar(255)	YES	'Thank You For Your	
settings	text	YES	NULL	
notifications	text	YES	NULL	
created_at	timestamp	NO		
updated_at	timestamp	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `slug` (`slug`)
 UNIQUE KEY `secret\_key` (`secret\_key`)

wp_userfeedback_heatmap_recordings (5 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
heatmap_id	bigint(20)	NO		
heatmap_data	longtext	NO		
created_at	timestamp	NO	current_timestamp()	
interaction_type	varchar(100)	NO		

Keys: PRIMARY KEY (`id`)

wp_userfeedback_heatmaps (4 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
page_id	bigint(20)	NO		
created_at	timestamp	NO	current_timestamp()	
status	enum('publish','draft','trash')	YES	'publish'	

Keys: PRIMARY KEY (`id`)

wp_userfeedback_post_ratings (5 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
post_id	bigint(20) unsigned	NO		
rating	tinyint(3) unsigned	NO		
user_id	bigint(20) unsigned	YES	NULL	
created_at	datetime	NO		

Keys: PRIMARY KEY (`id`)
 KEY `post\_id` (`post\_id`)

wp_userfeedback_survey_responses (10 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
survey_id	bigint(20)	NO		
answers	longtext	YES	NULL	
page_submitted	text	YES	NULL	
user_ip	varchar(256)	YES	NULL	
user_browser	varchar(128)	YES	NULL	
user_os	varchar(128)	YES	NULL	
user_device	varchar(64)	YES	NULL	
status	enum('publish','draft','trash')	YES	'publish'	
submitted_at	timestamp	NO		

Keys: PRIMARY KEY (`id`)

KEY `survey\_id` (`survey\_id`)

CONSTRAINT `wp\_userfeedback\_survey\_responses\_ibfk\_1` FOREIGN KEY (`survey\_id`) REFERENCES `wp\_userfeedback\_surveys` (`id`) ON DELETE CASCADE

wp_userfeedback_surveys (10 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
title	varchar(128)	YES	NULL	
status	enum('publish','draft','trash')	YES	'draft'	
type	varchar(100)	YES	NULL	
questions	longtext	YES	NULL	
impressions	bigint(20)	NO	0	
settings	text	YES	NULL	
notifications	text	YES	NULL	
publish_at	timestamp	YES	NULL	
created_at	timestamp	NO		

Keys: PRIMARY KEY (`id`)

wp_wc_admin_note_actions (9 columns, Has data)

Column	Type	Null	Default	Extra
action_id	bigint(20) unsigned	NO		
note_id	bigint(20) unsigned	NO		
name	varchar(255)	NO		
label	varchar(255)	NO		
query	longtext	NO		
status	varchar(255)	NO		
actioned_text	varchar(255)	NO		

Column	Type	Null	Default	Extra
nonce_action	varchar(255)	YES	NULL	
nonce_name	varchar(255)	YES	NULL	

Keys: PRIMARY KEY (`action\_id`)
KEY `note\_id` (`note\_id`)

wp_wc_admin_notes (17 columns, Has data)

Column	Type	Null	Default	Extra
note_id	bigint(20) unsigned	NO		
name	varchar(255)	NO		
type	varchar(20)	NO		
locale	varchar(20)	NO		
title	longtext	NO		
content	longtext	NO		
content_data	longtext	YES	NULL	
status	varchar(200)	NO		
source	varchar(200)	NO		
date_created	datetime	NO	'0000-00-00 00:00:00'	
date_reminder	datetime	YES	NULL	
is_snoozable	tinyint(1)	NO	0	
layout	varchar(20)	NO	"	
image	varchar(200)	YES	NULL	
is_deleted	tinyint(1)	NO	0	
is_read	tinyint(1)	NO	0	
icon	varchar(200)	NO	'info'	

Keys: PRIMARY KEY (`note\_id`)

wp_wc_customer_lookup (12 columns, Has data)

Column	Type	Null	Default	Extra
customer_id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	YES	NULL	
username	varchar(60)	NO	"	
first_name	varchar(255)	NO		
last_name	varchar(255)	NO		
email	varchar(100)	YES	NULL	
date_last_active	timestamp	YES	NULL	
date_registered	timestamp	YES	NULL	
country	char(2)	NO	"	
postcode	varchar(20)	NO	"	
city	varchar(100)	NO	"	

Column	Type	Null	Default	Extra
state	varchar(100)	NO	"	

Keys: PRIMARY KEY (`customer\_id`)
 UNIQUE KEY `user\_id` (`user\_id`)
 KEY `email` (`email`)

wp_wc_download_log (5 columns, Empty)

Column	Type	Null	Default	Extra
download_log_id	bigint(20) unsigned	NO		
timestamp	datetime	NO		
permission_id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	YES	NULL	
user_ip_address	varchar(100)	YES	"	

Keys: PRIMARY KEY (`download\_log\_id`)
 KEY `permission\_id` (`permission\_id`)
 KEY `timestamp` (`timestamp`)

wp_wc_order_addresses (14 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	NO		
address_type	varchar(20)	YES	NULL	
first_name	text	YES	NULL	
last_name	text	YES	NULL	
company	text	YES	NULL	
address_1	text	YES	NULL	
address_2	text	YES	NULL	
city	text	YES	NULL	
state	text	YES	NULL	
postcode	text	YES	NULL	
country	text	YES	NULL	
email	varchar(320)	YES	NULL	
phone	varchar(100)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `address\_type\_order\_id` (`address\_type`,`order\_id`)
 KEY `order\_id` (`order\_id`)
 KEY `email` (`email`(191))
 KEY `phone` (`phone`)

wp_wc_order_coupon_lookup (4 columns, Has data)

Column	Type	Null	Default	Extra
order_id	bigint(20) unsigned	NO		
coupon_id	bigint(20)	NO		
date_created	datetime	NO	'0000-00-00 00:00:00'	

Column	Type	Null	Default	Extra
discount_amount	double	NO	0	

Keys: PRIMARY KEY (`order\_id`, `coupon\_id`)
 KEY `coupon\_id` (`coupon\_id`)
 KEY `date\_created` (`date\_created`)

wp_wc_order_operational_data (18 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	YES	NULL	
created_via	varchar(100)	YES	NULL	
woocommerce_version	varchar(20)	YES	NULL	
prices_include_tax	tinyint(1)	YES	NULL	
coupon_usages_are_counted	tinyint(1)	YES	NULL	
download_permission_granted	tinyint(1)	YES	NULL	
cart_hash	varchar(100)	YES	NULL	
new_order_email_sent	tinyint(1)	YES	NULL	
order_key	varchar(100)	YES	NULL	
order_stock_reduced	tinyint(1)	YES	NULL	
date_paid_gmt	datetime	YES	NULL	
date_completed_gmt	datetime	YES	NULL	
shipping_tax_amount	decimal(26,8)	YES	NULL	
shipping_total_amount	decimal(26,8)	YES	NULL	
discount_tax_amount	decimal(26,8)	YES	NULL	
discount_total_amount	decimal(26,8)	YES	NULL	
recorded_sales	tinyint(1)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `order\_id` (`order\_id`)
 KEY `order\_key` (`order\_key`)

wp_wc_order_product_lookup (13 columns, Has data)

Column	Type	Null	Default	Extra
order_item_id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	NO		
product_id	bigint(20) unsigned	NO		
variation_id	bigint(20) unsigned	NO		
customer_id	bigint(20) unsigned	YES	NULL	
date_created	datetime	NO	'0000-00-00 00:00:00'	
product_qty	int(11)	NO		
product_net_revenue	double	NO	0	
product_gross_revenue	double	NO	0	

Column	Type	Null	Default	Extra
coupon_amount	double	NO	0	
tax_amount	double	NO	0	
shipping_amount	double	NO	0	
shipping_tax_amount	double	NO	0	

Keys: PRIMARY KEY (`order\_item\_id`,`order\_id`)
 KEY `order\_id` (`order\_id`)
 KEY `product\_id` (`product\_id`)
 KEY `customer\_id` (`customer\_id`)
 KEY `date\_created` (`date\_created`)
 KEY `customer\_product\_date` (`customer\_id`,`product\_id`,`date\_created`)

wp_wc_order_stats (14 columns, Has data)

Column	Type	Null	Default	Extra
order_id	bigint(20) unsigned	NO		
parent_id	bigint(20) unsigned	NO	0	
date_created	datetime	NO	'0000-00-00 00:00:00'	
date_created_gmt	datetime	NO	'0000-00-00 00:00:00'	
date_paid	datetime	YES	'0000-00-00 00:00:00'	
date_completed	datetime	YES	'0000-00-00 00:00:00'	
num_items_sold	int(11)	NO	0	
total_sales	double	NO	0	
tax_total	double	NO	0	
shipping_total	double	NO	0	
net_total	double	NO	0	
returning_customer	tinyint(1)	YES	NULL	
status	varchar(20)	NO		
customer_id	bigint(20) unsigned	NO		

Keys: PRIMARY KEY (`order\_id`)
 KEY `date\_created` (`date\_created`)
 KEY `customer\_id` (`customer\_id`)
 KEY `status` (`status`)
 KEY `idx\_date\_paid\_status\_parent` (`date\_paid`,`status`,`parent\_id`)

wp_wc_order_tax_lookup (6 columns, Has data)

Column	Type	Null	Default	Extra
order_id	bigint(20) unsigned	NO		
tax_rate_id	bigint(20) unsigned	NO		
date_created	datetime	NO	'0000-00-00 00:00:00'	
shipping_tax	double	NO	0	
order_tax	double	NO	0	
total_tax	double	NO	0	

Keys: PRIMARY KEY (`order\_id`,`tax\_rate\_id`)
 KEY `tax\_rate\_id` (`tax\_rate\_id`)
 KEY `date\_created` (`date\_created`)

wp_wc_orders (17 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
status	varchar(20)	YES	NULL	
currency	varchar(10)	YES	NULL	
type	varchar(20)	YES	NULL	
tax_amount	decimal(26,8)	YES	NULL	
total_amount	decimal(26,8)	YES	NULL	
customer_id	bigint(20) unsigned	YES	NULL	
billing_email	varchar(320)	YES	NULL	
date_created_gmt	datetime	YES	NULL	
date_updated_gmt	datetime	YES	NULL	
parent_order_id	bigint(20) unsigned	YES	NULL	
payment_method	varchar(100)	YES	NULL	
payment_method_title	text	YES	NULL	
transaction_id	varchar(100)	YES	NULL	
ip_address	varchar(100)	YES	NULL	
user_agent	text	YES	NULL	
customer_note	text	YES	NULL	

Keys: PRIMARY KEY (`id`)
KEY `status` (`status`)
KEY `date\_created` (`date\_created\_gmt`)
KEY `customer\_id\_billing\_email` (`customer\_id`,`billing\_email` (171))
KEY `billing\_email` (`billing\_email` (191))
KEY `type\_status\_date` (`type`,`status`,`date\_created\_gmt`)
KEY `parent\_order\_id` (`parent\_order\_id`)
KEY `date\_updated` (`date\_updated\_gmt`)
KEY `customer\_id\_status` (`customer\_id`,`status`)
KEY `transaction\_id` (`transaction\_id` (20))

wp_wc_orders_meta (4 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	NO		
meta_key	varchar(255)	NO		
meta_value	text	YES	NULL	

Keys: PRIMARY KEY (`order\_id`,`meta\_key`,`id`)
UNIQUE KEY `id` (`id`)
KEY `order\_id\_meta\_key\_meta\_value` (`order\_id`,`meta\_key` (100),`meta\_value` (82))
KEY `meta\_key\_value` (`meta\_key` (50),`meta\_value` (20))

wp_wc_product_attributes_lookup (6 columns, Has data)

Column	Type	Null	Default	Extra
product_id	bigint(20)	NO		
product_or_parent_id	bigint(20)	NO		

Column	Type	Null	Default	Extra
taxonomy	varchar(32)	NO		
term_id	bigint(20)	NO		
is_variation_attribute	tinyint(1)	NO		
in_stock	tinyint(1)	NO		

Keys: PRIMARY KEY (`product\_or\_parent\_id`,`term\_id`,`product\_id`,`taxonomy`)

KEY `is\_variation\_attribute\_term\_id` (`is\_variation\_attribute`,`term\_id`)

KEY `product\_id` (`product\_id`)

KEY `taxonomy\_term\_id\_in\_stock\_product\_or\_parent\_id` (`taxonomy`,`term\_id`,`in\_stock`,`product\_or\_parent\_id`)

wp_wc_product_download_directories (3 columns, Has data)

Column	Type	Null	Default	Extra
url_id	bigint(20) unsigned	NO		
url	varchar(256)	NO		
enabled	tinyint(1)	NO	0	

Keys: PRIMARY KEY (`url\_id`)

KEY `url` (`url`(191))

wp_wc_rate_limits (4 columns, Empty)

Column	Type	Null	Default	Extra
rate_limit_id	bigint(20) unsigned	NO		
rate_limit_key	varchar(200)	NO		
rate_limit_expiry	bigint(20) unsigned	NO		
rate_limit_remaining	smallint(10)	NO	0	

Keys: PRIMARY KEY (`rate\_limit\_id`)

UNIQUE KEY `rate\_limit\_key` (`rate\_limit\_key`(191))

wp_wc_webhooks (14 columns, Empty)

Column	Type	Null	Default	Extra
webhook_id	bigint(20) unsigned	NO		
status	varchar(200)	NO		
name	text	NO		
user_id	bigint(20) unsigned	NO		
delivery_url	text	NO		
secret	text	NO		
topic	varchar(200)	NO		
date_created	datetime	NO	'0000-00-00 00:00:00'	
date_created_gmt	datetime	NO	'0000-00-00 00:00:00'	
date_modified	datetime	NO	'0000-00-00 00:00:00'	
date_modified_gmt	datetime	NO	'0000-00-00 00:00:00'	
api_version	smallint(4)	NO		
failure_count	smallint(10)	NO	0	

Column	Type	Null	Default	Extra
pending_delivery	tinyint(1)	NO	0	

Keys: PRIMARY KEY (`webhook\_id`)
KEY `user\_id` (`user\_id`)

wp_woocommerce_api_keys (9 columns, Empty)

Column	Type	Null	Default	Extra
key_id	bigint(20) unsigned	NO		
user_id	bigint(20) unsigned	NO		
description	varchar(200)	YES	NULL	
permissions	varchar(10)	NO		
consumer_key	char(64)	NO		
consumer_secret	char(43)	NO		
nonces	longtext	YES	NULL	
truncated_key	char(7)	NO		
last_access	datetime	YES	NULL	

Keys: PRIMARY KEY (`key\_id`)
KEY `consumer\_key` (`consumer\_key`)
KEY `consumer\_secret` (`consumer\_secret`)

wp_woocommerce_attribute_taxonomies (6 columns, Has data)

Column	Type	Null	Default	Extra
attribute_id	bigint(20) unsigned	NO		
attribute_name	varchar(200)	NO		
attribute_label	varchar(200)	YES	NULL	
attribute_type	varchar(20)	NO		
attribute_orderby	varchar(20)	NO		
attribute_public	int(1)	NO	1	

Keys: PRIMARY KEY (`attribute\_id`)
KEY `attribute\_name` (`attribute\_name`(200))

wp_woocommerce_downloadable_product_permissions (11 columns, Empty)

Column	Type	Null	Default	Extra
permission_id	bigint(20) unsigned	NO		
download_id	varchar(36)	NO		
product_id	bigint(20) unsigned	NO		
order_id	bigint(20) unsigned	NO	0	
order_key	varchar(200)	NO		
user_email	varchar(200)	NO		
user_id	bigint(20) unsigned	YES	NULL	
downloads_remaining	varchar(9)	YES	NULL	
access_granted	datetime	NO	'0000-00-00 00:00:00'	

Column	Type	Null	Default	Extra
access_expires	datetime	YES	NULL	
download_count	bigint(20) unsigned	NO	0	

Keys: PRIMARY KEY (`permission\_id`)
 KEY `download\_order\_key\_product` (`product\_id`,`order\_id`,`order\_key`(16),`download\_id`)
 KEY `download\_order\_product` (`download\_id`,`order\_id`,`product\_id`)
 KEY `order\_id` (`order\_id`)
 KEY `user\_order\_remaining\_expires` (`user\_id`,`order\_id`,`downloads\_remaining`,`access\_expires`)
 KEY `idx\_user\_email` (`user\_email`(100))

wp_woocommerce_log (6 columns, Empty)

Column	Type	Null	Default	Extra
log_id	bigint(20) unsigned	NO		
timestamp	datetime	NO		
level	smallint(4)	NO		
source	varchar(200)	NO		
message	longtext	NO		
context	longtext	YES	NULL	

Keys: PRIMARY KEY (`log\_id`)
 KEY `level` (`level`)

wp_woocommerce_order_items (4 columns, Has data)

Column	Type	Null	Default	Extra
order_item_id	bigint(20) unsigned	NO		
order_item_name	text	NO		
order_item_type	varchar(200)	NO	"	
order_id	bigint(20) unsigned	NO		

Keys: PRIMARY KEY (`order\_item\_id`)
 KEY `order\_id` (`order\_id`)

wp_woocommerce_payment_tokens (6 columns, Empty)

Column	Type	Null	Default	Extra
token_id	bigint(20) unsigned	NO		
gateway_id	varchar(200)	NO		
token	text	NO		
user_id	bigint(20) unsigned	NO	0	
type	varchar(200)	NO		
is_default	tinyint(1)	NO	0	

Keys: PRIMARY KEY (`token\_id`)
 KEY `user\_id` (`user\_id`)

wp_woocommerce_sessions (4 columns, Has data)

Column	Type	Null	Default	Extra
session_id	bigint(20) unsigned	NO		

Column	Type	Null	Default	Extra
session_key	char(32)	NO		
session_value	longtext	NO		
session_expiry	bigint(20) unsigned	NO		

Keys: PRIMARY KEY (`session\_id`)
 UNIQUE KEY `session\_key` (`session\_key`)
 KEY `session\_expiry` (`session\_expiry`)

wp_woocommerce_shipping_zone_locations (4 columns, Has data)

Column	Type	Null	Default	Extra
location_id	bigint(20) unsigned	NO		
zone_id	bigint(20) unsigned	NO		
location_code	varchar(200)	NO		
location_type	varchar(40)	NO		

Keys: PRIMARY KEY (`location\_id`)
 KEY `zone\_id` (`zone\_id`)
 KEY `location\_type\_code` (`location\_type`(10),`location\_code`(20))

wp_woocommerce_shipping_zone_methods (5 columns, Has data)

Column	Type	Null	Default	Extra
zone_id	bigint(20) unsigned	NO		
instance_id	bigint(20) unsigned	NO		
method_id	varchar(200)	NO		
method_order	bigint(20) unsigned	NO		
is_enabled	tinyint(1)	NO	1	

Keys: PRIMARY KEY (`instance\_id`)
 KEY `zone\_id` (`zone\_id`)
 KEY `method\_id` (`method\_id`(20))

wp_woocommerce_shipping_zones (3 columns, Has data)

Column	Type	Null	Default	Extra
zone_id	bigint(20) unsigned	NO		
zone_name	varchar(200)	NO		
zone_order	bigint(20) unsigned	NO		

Keys: PRIMARY KEY (`zone\_id`)
 KEY `zone\_order\_id` (`zone\_order`, `zone\_id`)

wp_woocommerce_tax_rate_locations (4 columns, Empty)

Column	Type	Null	Default	Extra
location_id	bigint(20) unsigned	NO		
location_code	varchar(200)	NO		
tax_rate_id	bigint(20) unsigned	NO		
location_type	varchar(40)	NO		

Keys: PRIMARY KEY (`location\_id`)
 KEY `tax\_rate\_id` (`tax\_rate\_id`)

KEY `location\_type\_code` (`location\_type`(10),`location\_code`(20))

wp_woocommerce_tax_rates (10 columns, Has data)

Column	Type	Null	Default	Extra
tax_rate_id	bigint(20) unsigned	NO		
tax_rate_country	varchar(2)	NO	"	
tax_rate_state	varchar(200)	NO	"	
tax_rate	varchar(8)	NO	"	
tax_rate_name	varchar(200)	NO	"	
tax_rate_priority	bigint(20) unsigned	NO		
tax_rate_compound	int(1)	NO	0	
tax_rate_shipping	int(1)	NO	1	
tax_rate_order	bigint(20) unsigned	NO		
tax_rate_class	varchar(200)	NO	"	

Keys: PRIMARY KEY (`tax\_rate\_id`)
KEY `tax\_rate\_country` (`tax\_rate\_country`)
KEY `tax\_rate\_state` (`tax\_rate\_state`(2))
KEY `tax\_rate\_class` (`tax\_rate\_class`(10))
KEY `tax\_rate\_priority` (`tax\_rate\_priority`)

wp_wpforms_analytics_forms (5 columns, Empty)

Column	Type	Null	Default	Extra
form_id	bigint(20) unsigned	NO		
period_date	date	NO		
views	int(10) unsigned	NO	0	
unique_sessions	int(10) unsigned	NO	0	
submissions	int(10) unsigned	NO	0	

Keys: PRIMARY KEY (`form\_id`,`period\_date`)

wp_wpforms_analytics_snapshots (9 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
form_id	bigint(20) unsigned	NO		
session_id	varchar(64)	NO		
trigger_type	tinyint(3) unsigned	NO		
page_number	tinyint(3) unsigned	YES	NULL	
form_visible	tinyint(1) unsigned	NO	0	
payload	longtext	NO		
occurred_at	datetime	NO		
processed	tinyint(1) unsigned	NO	0	

Keys: PRIMARY KEY (`id`)
KEY `idx\_unprocessed` (`processed`,`occurred\_at`)
KEY `idx\_session` (`session\_id`,`form\_id`,`trigger\_type`)

KEY `idx\_form\_date` (`form\_id`,`processed`,`form\_visible`,`occurred\_at`)

wp_wpforms_logs (8 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
title	varchar(255)	NO		
message	longtext	NO		
types	varchar(255)	NO		
create_at	datetime	NO		
form_id	bigint(20)	YES	NULL	
entry_id	bigint(20)	YES	NULL	
user_id	bigint(20)	YES	NULL	

Keys: PRIMARY KEY (`id`)

wp_wpforms_payment_meta (4 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
payment_id	bigint(20)	NO		
meta_key	varchar(255)	YES	NULL	
meta_value	longtext	YES	NULL	

Keys: PRIMARY KEY (`id`)
KEY `payment\_id` (`payment\_id`)
KEY `meta\_key` (`meta\_key`(191))
KEY `meta\_value` (`meta\_value`(191))

wp_wpforms_payments (19 columns, Empty)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
form_id	bigint(20)	NO		
status	varchar(10)	NO	"	
subtotal_amount	decimal(26,8)	NO	0.00000000	
discount_amount	decimal(26,8)	NO	0.00000000	
total_amount	decimal(26,8)	NO	0.00000000	
currency	varchar(3)	NO	"	
entry_id	bigint(20)	NO	0	
gateway	varchar(20)	NO	"	
type	varchar(12)	NO	"	
mode	varchar(4)	NO	"	
transaction_id	varchar(40)	NO	"	
customer_id	varchar(40)	NO	"	
subscription_id	varchar(40)	NO	"	

Column	Type	Null	Default	Extra
subscription_status	varchar(10)	NO	"	
title	varchar(255)	NO	"	
date_created_gmt	datetime	NO		
date_updated_gmt	datetime	NO		
is_published	tinyint(1)	NO	1	

Keys: PRIMARY KEY (`id`)
 KEY `form\_id` (`form\_id`)
 KEY `status` (`status`(8))
 KEY `total\_amount` (`total\_amount`)
 KEY `type` (`type`(8))
 KEY `transaction\_id` (`transaction\_id`(32))
 KEY `customer\_id` (`customer\_id`(32))
 KEY `subscription\_id` (`subscription\_id`(32))
 KEY `subscription\_status` (`subscription\_status`(8))
 KEY `title` (`title`(64))

wp_wpforms_tasks_meta (4 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20)	NO		
action	varchar(255)	NO		
data	longtext	NO		
date	datetime	NO		

Keys: PRIMARY KEY (`id`)

wp_yoast_indexable (53 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
permalink	longtext	YES	NULL	
permalink_hash	varchar(40)	YES	NULL	
object_id	bigint(20)	YES	NULL	
object_type	varchar(32)	NO		
object_sub_type	varchar(32)	YES	NULL	
author_id	bigint(20)	YES	NULL	
post_parent	bigint(20)	YES	NULL	
title	text	YES	NULL	
description	mediumtext	YES	NULL	
breadcrumb_title	text	YES	NULL	
post_status	varchar(20)	YES	NULL	
is_public	tinyint(1)	YES	NULL	
is_protected	tinyint(1)	YES	0	
has_public_posts	tinyint(1)	YES	NULL	
number_of_pages	int(11) unsigned	YES	NULL	
canonical	longtext	YES	NULL	

Column	Type	Null	Default	Extra
primary_focus_keyword	varchar(191)	YES	NULL	
primary_focus_keyword_score	int(3)	YES	NULL	
readability_score	int(3)	YES	NULL	
is_cornerstone	tinyint(1)	YES	0	
is_robots_noindex	tinyint(1)	YES	0	
is_robots_nofollow	tinyint(1)	YES	0	
is_robots_noarchive	tinyint(1)	YES	0	
is_robots_noimageindex	tinyint(1)	YES	0	
is_robots_nosnippet	tinyint(1)	YES	0	
twitter_title	text	YES	NULL	
twitter_image	longtext	YES	NULL	
twitter_description	longtext	YES	NULL	
twitter_image_id	varchar(191)	YES	NULL	
twitter_image_source	text	YES	NULL	
open_graph_title	text	YES	NULL	
open_graph_description	longtext	YES	NULL	
open_graph_image	longtext	YES	NULL	
open_graph_image_id	varchar(191)	YES	NULL	
open_graph_image_source	text	YES	NULL	
open_graph_image_meta	mediumtext	YES	NULL	
link_count	int(11)	YES	NULL	
incoming_link_count	int(11)	YES	NULL	
prominent_words_version	int(11) unsigned	YES	NULL	
created_at	datetime	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
blog_id	bigint(20)	NO	1	
language	varchar(32)	YES	NULL	
region	varchar(32)	YES	NULL	
schema_page_type	varchar(64)	YES	NULL	
schema_article_type	varchar(64)	YES	NULL	
has_ancestors	tinyint(1)	YES	0	
estimated_reading_time_minutes	int(11)	YES	NULL	
version	int(11)	YES	1	
object_last_modified	datetime	YES	NULL	
object_published_at	datetime	YES	NULL	
inclusive_language_score	int(3)	YES	NULL	

Keys: PRIMARY KEY (`id`)

KEY `object\_type\_and\_sub\_type` (`object\_type`,`object\_sub\_type`)

KEY `object\_id\_and\_type` (`object\_id`,`object\_type`)

KEY `permalink\_hash\_and\_object\_type` (`permalink\_hash`,`object\_type`)
 KEY `subpages` (`post\_parent`,`object\_type`,`post\_status`,`object\_id`)
 KEY `prominent\_words` (`prominent\_words\_version`,`object\_type`,`object\_sub\_type`,`post\_status`)
 KEY `published\_sitemap\_index` (`object\_published\_at`,`is\_robots\_noindex`,`object\_type`,`object\_sub\_type`)

wp_yoast_indexable_hierarchy (4 columns, Has data)

Column	Type	Null	Default	Extra
indexable_id	int(11) unsigned	NO		
ancestor_id	int(11) unsigned	NO		
depth	int(11) unsigned	YES	NULL	
blog_id	bigint(20)	NO	1	

Keys: PRIMARY KEY (`indexable\_id`,`ancestor\_id`)
 KEY `indexable\_id` (`indexable\_id`)
 KEY `ancestor\_id` (`ancestor\_id`)
 KEY `depth` (`depth`)

wp_yoast_migrations (2 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
version	varchar(191)	YES	NULL	

Keys: PRIMARY KEY (`id`)
 UNIQUE KEY `wp\_yoast\_migrations\_version` (`version`)

wp_yoast_primary_term (7 columns, Has data)

Column	Type	Null	Default	Extra
id	int(11) unsigned	NO		
post_id	bigint(20)	YES	NULL	
term_id	bigint(20)	YES	NULL	
taxonomy	varchar(32)	NO		
created_at	datetime	YES	NULL	
updated_at	timestamp	NO	current_timestamp()	
blog_id	bigint(20)	NO	1	

Keys: PRIMARY KEY (`id`)
 KEY `post\_taxonomy` (`post\_id`,`taxonomy`)
 KEY `post\_term` (`post\_id`,`term\_id`)

wp_yoast_seo_links (12 columns, Has data)

Column	Type	Null	Default	Extra
id	bigint(20) unsigned	NO		
url	varchar(255)	YES	NULL	
post_id	bigint(20) unsigned	YES	NULL	
target_post_id	bigint(20) unsigned	YES	NULL	
type	varchar(8)	YES	NULL	
indexable_id	int(11) unsigned	YES	NULL	

Column	Type	Null	Default	Extra
target_indexable_id	int(11) unsigned	YES	NULL	
height	int(11) unsigned	YES	NULL	
width	int(11) unsigned	YES	NULL	
size	int(11) unsigned	YES	NULL	
language	varchar(32)	YES	NULL	
region	varchar(32)	YES	NULL	

Keys: PRIMARY KEY (`id`)
KEY `link\_direction` (`post\_id`,`type`)
KEY `indexable\_link\_direction` (`indexable\_id`,`type`)